



SPRAY BOTTLES, CS

SPRAY BOTTLE 1l
SPRAY BOTTLE 5l

SPRAY BOTTLE 11

CS

APPLICATION

11 spray bottle is designed for use in police units during dispersing and controlling demonstrations and riots in different conditions. The solution contains irritating CS and can also contain color for marking the demonstrators as additional effect.

DESCRIPTION

The bottle is made and tested according the standards for pressure vessels, equipped with manometer and nozzle with the possibility of changing the length and width of the jet. The pressure in the bottle has been made by compressed air. The carrier of color and CS is a 2-methoxy ethanol, which is not carcinogenic, and does not present a threat for any or gan damage, in relation to the methylene chloride, which was characterized as a carcinogenic substance. Colors which are located in the bottle are or ganic. The bottle can be re-filled.

OPERATION

Before the action, tear PE bag, take out the set with a spray bottle and hang on the appropriate strap to the equipment. Forefinger of the left hand tearing out the fuse from the valve. Direct the nozzle towards the mass of demonstrators and press the lever on the nozzle at a distance of 6 to 8 m. Weather in total, continuous miners jet is about 7 seconds. Mandatory check-up is carried out every 6 months.

SPECIFICATIONS

Weight of emty bottle: 1,6kg
Hight : 335mm
Circuit of bottle: 270mm
Leinght of valve: 60mm
Weight of the full bottle :2,65kg
Mass of loading : 1kg
Deluder: 92,10%
CS: 7%
Color: 0,9%
Range: 6-8m
Pressure: 8bar
Time of acting: 7s



Classified as: Compressed gas
UN broj: 1953
Class:2.1

SPRAY BOTTLE 5l

CS

APPLICATION

5l spray bottle is designed for use in police units during dispersing and controlling demonstrations and riots in different conditions. The solution contains irritating CS and can also contain color for marking the demonstrators as additional effect.

DESCRIPTION

The bottle is made and tested according the standards for pressure vessels, equipped with manometer and nozzle with the possibility of changing the length and width of the jet. The pressure in the bottle has been made by compressed air. The carrier of color and CS is a 2-methoxy ethanol, which is not carcinogenic, and does not present a threat for any gan damage, in relation to the methylene chloride, which was characterized as a carcinogenic substance. Colors which are located in the bottle are organic. The bottle can be re-filled.

OPERATION

Before the action, tear PE bag, take out the set with a spray bottle and hang on the appropriate strap to the equipment. Forefinger of the left hand tearing out the fuse from the valve. Direct the nozzle towards the mass of demonstrators and press the lever on the nozzle at a distance of 7 to 10 m. Weather in total, continuous miners jet is about 36-37 seconds. Mandatory check-up is carried out every 6 months.

SPECIFICATIONS

Weight of emty bottle: 4,5kg
Hight : 530mm
Circuit of bottle: 480mm
Lenght of valve: 75mm
Lenght of the hose: 1350mm
Weight of the full bottle :10,95kg
Mass of loading : 5kg
Deluder: 92,10%
CS: 7%
Color: 0,9%
Range: 7-10m
Pressure: 8bar
Time of acting: 36-37s



Classified as: Compressed gas
UN broj: 1953
Class:2.1